



# Asthma Policy

Truganina College



## Help for non-English speakers

If you need help to understand the information in this policy please contact Truganina P-9 College

**A** 55 Clearwood Drive, Truganina VIC 3029

**T** 03 9368 9800

**E** [truganina.p9.co@education.vic.gov.au](mailto:truganina.p9.co@education.vic.gov.au)

**W** [www.truganinap9.vic.edu.au](http://www.truganinap9.vic.edu.au)

## PURPOSE

To ensure that Truganina P-9 College appropriately supports students diagnosed with asthma.

## OBJECTIVE

To explain to Truganina P-9 College parents/carers, staff and students the processes and procedures in place to support students diagnosed with asthma.

## SCOPE

This policy applies to:

- all staff, including casual relief staff, contractors and volunteers
- all students who have been diagnosed with asthma or who may require emergency treatment for asthma and their parents/carers.

## POLICY

### Asthma

Asthma is a long-term lung condition. People with asthma have sensitive airways in their lungs which react to triggers, causing a 'flare-up'. In a flare-up, the muscles around the airway squeeze tight, the airways swell and become narrow and there is more mucus. This makes it hard to breathe. An asthma flare-up can come on slowly (over hours, days or even weeks) or very quickly (over minutes). A sudden or severe asthma flare-up is sometimes called an asthma attack.

### *Symptoms*

Symptoms of asthma can vary over time and often vary from person to person. The most common asthma symptoms are:

- breathlessness
- wheezing (a whistling noise from the chest)
- tight feeling in the chest
- persistent cough

School Name: Truganina College	Policy name: Administration of Medication Policy	Date: September, 3 2024 [Month, Day, Year]	Policy Ref. Number: Student Welfare 3.1 (a) (iv) 4.
Owner: H.Viado-Vega [AUTHOR]	Approved by: A.Williams [APPROVER]	Review date: September, 2025	Version 1.0
			Page 1 of 6

Symptoms often occur at night, early in the morning or during/just after physical activity. If asthma is well controlled, a person should only have occasional asthma symptoms.

### Triggers

A trigger is something that sets off or starts asthma symptoms. Everyone with asthma has different triggers. For most people with asthma, triggers are only a problem when asthma is not well controlled with medication. Common asthma triggers include:

- exercise
- smoke (cigarette smoke, wood smoke from open fires, burn-offs or bushfires)
- house dust mites
- pollens
- chemicals such as household cleaning products
- food chemicals/additives
- laughter or emotions, such as stress
- colds/flu
- weather changes such as thunderstorms and cold, dry air
- moulds
- animals such as cats and dogs
- deodorants (including perfumes, after-shaves, hair spray and aerosol deodorant sprays)
- certain medications (including aspirin and anti-inflammatories)

### Asthma management

If a student diagnosed with asthma enrolls at Truganina P-9 College:

1. Parents/carers must provide the school with an Asthma Action Plan which has been completed by the student's medical practitioner. The plan must outline:
  - the prescribed medication taken by the student and when it is to be administered, for example as a pre-medication to exercise or on a regular basis
  - emergency contact details
  - the contact details of the student's medical practitioner
  - the student's known triggers
  - the emergency procedures to be taken in the event of an asthma flare-up or attack.
2. Parents/carers should also provide a photo of the student to be included as part of the student's Asthma Action Plan.
3. Truganina P-9 College will keep all Asthma Action Plans:
  - Sick bay offices (Foundation – Year 4: front office sick bay & Year 5 – 9 Middle years sick bay)
4. School staff may also work with parents/carers to develop a Student Health Support Plan which will include details on:
  - how the school will provide support for the student
  - identify specific strategies
  - allocate staff to assist the student
5. If a student diagnosed with asthma is going to attend a school camp or excursion, Truganina P-9 College parents/carers are required to provide any updated medical information.
6. If a student's asthma condition or treatment requirements change, parent/carers must notify the school and provide an updated Asthma Action Plan.
7. School staff will work with parents/carers to review Asthma Action Plans (and Student Health Support Plans). School Nurses will update and notify parents when a new Asthma Action Plan and inhaler is required.

School Name: Truganina College	Policy name: Administration of Medication Policy	Date: September, 3 2024 [Month, Day, Year]	Policy Ref. Number: Student Welfare 3.1 (a) (iv) 4.
Owner: H.Viado-Vega [AUTHOR]	Approved by: A.Williams [APPROVER]	Review date: September, 2025	Version 1.0
			Page 2 of 6

## Student asthma kit

All students diagnosed with asthma will have access to their asthma kit in the Sickbay offices.

General use ventolin and disposable spacers will be provided when required for asthma treatment. Students are required to attend sickbay at anytime of an asthma attack for supervised asthma treatment. Disposable asthma spacers will be labelled with the student's name and date of use, spacer will be discarded after 7-14 days.

Students from Foundation – Year 4, may access the asthma kits at the front office sickbay.

Middle year students Year 5-9 have access to their asthma kits at Middle years sickbay office.

## Asthma emergency response plan

If a student is:

- having an asthma attack
- difficulty breathing for an unknown cause, even if they are not known to have asthma

School staff will endeavour to follow the Asthma First Aid procedures outlined in the table below. School staff may contact Triple Zero "000" at any time.

Step	Action
1.	Sit the person upright <ul style="list-style-type: none"><li>• Be calm and reassuring</li><li>• Do not leave them alone</li><li>• Seek assistance from another staff member or reliable student to locate the student's reliever, the Asthma Emergency Kit and the student's Asthma Action Plan (if available).</li><li>• If the student's action plan is not immediately available, use the Asthma First Aid as described in Steps 2 to 5.</li></ul>
2.	Give 4 separate puffs of blue or blue/grey reliever puffer: <ul style="list-style-type: none"><li>• Shake the puffer</li><li>• Use a spacer if you have one</li><li>• Put 1 puff into the spacer</li><li>• Take 4 breaths from the spacer</li></ul> <b>Remember – Shake, 1 puff, 4 breaths</b>
3.	Wait 4 minutes <ul style="list-style-type: none"><li>• If there is no improvement, give 4 more separate puffs of blue/grey reliever as above</li></ul>
4.	If there is still no improvement call Triple Zero "000" and ask for an ambulance. <ul style="list-style-type: none"><li>• Tell the operator the student is having an asthma attack</li><li>• Keep giving 4 separate puffs every 4 minutes until emergency assistance arrives</li></ul>
5.	If asthma is relieved after administering Asthma First Aid, stop the treatment and observe the student. Notify the student's emergency contact person and record the incident

School Name: Truganina College	Policy name: Administration of Medication Policy	Date: September, 3 2024 [Month, Day, Year]	Policy Ref. Number: Student Welfare 3.1 (a) (iv) 4.	
Owner: H.Viado-Vega [AUTHOR]	Approved by: A.Williams [APPROVER]	Review date: September, 2025	Version 1.0	Page 3 of 6

Staff will call Triple Zero “000” immediately if:

- the person is not breathing
- if the person’s asthma suddenly becomes worse or is not improving
- if the person is having an asthma attack and a reliever is not available
- if they are not sure if it is asthma
- if the person is known to have anaphylaxis

### Training for staff

Truganina P-9 College will arrange the following asthma management training for staff:

Staff	Completed by	Course	Provider	Cost	Valid for
<b>Group 1 General Staff</b>	School staff with a direct teaching role with students affected by asthma or other school staff directed by the Principal after conducting a risk assessment.	Asthma first aid management for education staff (non-accredited)  One hour, online training.	Asthma Australia	Free to all schools	3 years
<b>Group 2 Specific Staff</b>	Staff working with high risk children with a history of severe asthma, or with direct student wellbeing responsibility, (including nurses, PE/sport teachers, first aid and school staff attending camp)	<i>Course in Asthma Awareness 10760NAT</i>  <i>OR</i> <i>Course in the management of Asthma Risks and Emergencies in the Workplace 22556VIC</i>  (accredited)	Any RTO that has this course in their scope of practice	Paid by Truganina P-9 College	3 years

Truganina P-9 College will also conduct an annual briefing for staff on:

- the procedures outlined in this policy
- the causes, symptoms and treatment of asthma
- identities of the students diagnosed with asthma
- how to use a puffer and spacer
  
- the location of:
  - the Asthma Emergency Kits around the College
  - asthma medication which has been provided by parents for student use.

Truganina P-9 College will also provide this policy to casual relief staff and volunteers who will be working with students, and may also provide a briefing if the Principal decides it is necessary depending on the nature of the work being performed.

School Name: Truganina College	Policy name: Administration of Medication Policy	Date: September, 3 2024 [Month, Day, Year]	Policy Ref. Number: Student Welfare 3.1 (a) (iv) 4.
Owner: H.Viado-Vega [AUTHOR]	Approved by: A.Williams [APPROVER]	Review date: September, 2025	Version 1.0
			Page 4 of 6

## General Use Asthma Emergency Kit (blue bag)

Truganina P-9 College will provide and maintain at least nineteen General Use Asthma Emergency Kits. Blue bags are kept in various rooms, you may locate MAP for all general use Ventolin in the U:drive – Sickbay folder. Mobile asthma kits can also be found in;

- camps and excursions.

The Asthma Emergency Kit (General Use Ventolin blue bags) will contain:

- at least 1 blue or blue/grey reliever medication such as Ventolin
- at least 2 spacer devices (for single person use only) to assist with effective inhalation of the blue or blue/grey reliever medication (Truganina P-9 College will ensure spare spacers are available as replacements). Spacers will be stored in a dust proof container.
- clear written instructions on Asthma First Aid, including:
  - how to use the medication and spacer devices
  - steps to be taken in treating an asthma attack
- A record sheet/log for recording the details of an asthma first aid incident, such as the number of puffs administered [see template record sheet in “additional resources”].

School Nurses, Sarah Knight and Hannah Viado-Vega will monitor and maintain the Asthma Emergency Kits. They will:

- ensure all contents are maintained and replaced where necessary
- regularly check the expiry date on the canisters of the blue or blue/grey reliever puffers and place them if they have expired or a low on doses
- replace spacers in the Kits after each use (spacers are single-person use only)
- dispose of any previously used spaces.

The blue or blue/grey reliever medication in the Asthma Emergency Kits may be used by more than one student as long as they are used with a spacer. If the devices come into contact with someone's mouth, they will not be used again and will be replaced.

After each use of a blue or blue/grey reliever (with a spacer):

- remove the metal canister from the puffer (do not wash the canister)
- wash the plastic casing
- rinse the mouthpiece through the top and bottom under running water for at least 30 seconds
- wash the mouthpiece cover
- air dry then reassemble
- test the puffer to make sure no water remains in it, then return to the Asthma Emergency Kit.

## Management of confidential medical information

Confidential medical information provided to Truganina P-9 College to support a student diagnosed with asthma will be:

- recorded on the student's file
- shared with all relevant staff so that they are able to properly support students diagnosed with asthma and respond appropriately if necessary.

## Communication plan

School Name: Truganina College	Policy name: Administration of Medication Policy	Date: September, 3 2024 [Month, Day, Year]	Policy Ref. Number: Student Welfare 3.1 (a) (iv) 4.
Owner: H.Viado-Vega [AUTHOR]	Approved by: A.Williams [APPROVER]	Review date: September, 2025	Version 1.0
			Page 5 of 6

This policy will be available on Truganina P-9 College’s website so that parents and other members of the school community can easily access information about Truganina P-9 College’s asthma management procedures.

### **Epidemic Thunderstorm Asthma**

Truganina P-9 College will be prepared to act on the warnings and advice from the Department of Education and Training when the risk of epidemic thunderstorm asthma is forecast as high.

### **COMMUNICATION**

This policy will be communicated to our school community in the following ways:

- Available publicly on our school’s website or COMPASS (or insert other online parent/carer/student communication method)
- Included in staff induction processes and staff training
- Included in staff handbook/manual
- Discussed at annual staff briefings/meetings
- Included in transition and enrolment packs
- Discussed at parent information nights/sessions
- Reminders in our school newsletter
- Hard copy available from school administration upon request

### **FURTHER INFORMATION AND RESOURCES**

- Asthma Australia: [Resources for schools](#)
- Policy and Advisory Library:
  - [Asthma](#)
  - [Treating an asthma attack](#)
- Truganina College First Aid Policy
- Truganina College Anaphylaxis Policy
- Truganina College Asthma Policy
- Truganina College Health Care Needs Policy

### **POLICY REVIEW AND APPROVAL**

This policy was last updated on the 26 June 2024 and is scheduled for review at the commencement of every year.

School Name: Truganina College	Policy name: Administration of Medication Policy	Date: September, 3 2024 [Month, Day, Year]	Policy Ref. Number: Student Welfare 3.1 (a) (iv) 4.
Owner: H.Viado-Vega [AUTHOR]	Approved by: A.Williams [APPROVER]	Review date: September, 2025	Version 1.0
			Page 6 of 6